


Spring-assisted monitor arm

The Sigma monitor arm's effortless design enables installer to fit the arm in minutes with the swivel action allowing comfortable positioning by the end user.

AVAILABLE OPTIONS



AVAILABLE COLOURS



USP

- TOP FIX INSTALLATION AND THROUGH DESK BOLT FITTING
- SMOOTH ARM INSERTION: ENSURE EASY INSTALLATION
- BUILT-IN SPRING TENSION GAUGE FOR PERFECT HEIGHT ADJUSTMENTS
- QUICK-RELEASE VESA PLATE: FOR EASY INSTALLATION
- CABLE MANAGEMENT / ALLEN KEY HOLDER



17"-32" [24"] 75x75 & 100x100+90



° ~-90 ° +90° ~-90 °



+90° ~-90 °



8kg



YES



YES



SIGMA

Spring-assisted monitor arm

PRODUCT SPECIFICATION

Product Category: Mechanical Spring Monitor Arm
Rank: Premium
Material: Aluminium, plastic, steel
Surface Finish: Powder coated
Colour: Matt black and matt white

Weight capacity (per screen): 0-8kg per arm
Arm Full Extension: 467 mm
Box dimensions: Single: 115 x 561 x 520mm
 Double: 1044 x 129 x 532mm
 Single: 17"-32" / Double: 17"-32"

Fit screen size:
Fit curved monitor





● SIGMA1BL
 SIGMA2BL



○ SIGMA1WH
 SIGMA2WH




INSTALLATION




SIGMA

Spring-assisted monitor arm

INSTALLATION



Suggested desktop thickness: Clamp/grommet: 10-50mm



DIMENSIONS

